





HM-BLE HART[®] Modem - Bluetooth Low Energy



Benefits:

- Access hard to reach instrumentation from the ground or your truck
- Improve plant personnel safety
- Easy instrument configuration using Mobile devices without bulky modules or wires
- Less clutter on desk or workbench

Features:

- Bluetooth v4.0
- Reliable wireless communication up to 328 ft (100m)
- Internal antenna
- Rechargeable Li-Ion battery via micro-USB connector
- Integral heavy duty HART Minigrabber connectors
- Meets HART Physical Layer Spec HCF_SPEC-54
- High security 128 bit encryption
- Compact size 2.00" x 2.75" x 0.80" (50mm x 70mm x 20mm)
- Rugged ABS plastic enclosure
- HART Modem Test App included for iOS and Android
- Integrated loop for hanging strap attachment
- Each unit 100% tested
- 1 Year warranty







Specifications:

Enclosure

Material Dimensions Total Unit Weight

<u>Cables</u> HART Cable Length HART Cable Connectors

HART

Interface Output Leakage Connections Specifications

Computer

Operating Systems

<u>Bluetooth</u>

Specifications Frequency

<u>Battery</u>

Type Life

Environmental

Operating Temperature Storage Temperature Humidity

Compliances

CE Certification

High strength ABS Plastic 2.00" x 2.75" x 0.80" (50mm x 70mm x 20mm) 6 oz (170 g)

4' (1.2 m) Mini-Grabber

Capacitive coupling 600 mVpp < 10 uA Across loop resistor or HART field device HART 4, HART 5, HART 6, HART 7, HART Physical Layer Spec HCF_SPEC-54

Android, iOS

Bluetooth v4.0 2.4 GHz

Rechargeable Li-Ion 19 hours continuous use

0 degC to 50 degC (32 degF to 122 degF) -40 degC to 85 degC (-40 degF to 185 degF) 0% to 99% (non-condensing)

EN 61326 (EMC), Directive 2011/65/EU (RoHS)

ProComSol, Ltd

Process Communications Solutions

Phone: 216.221.1550 Toll Free: 877.221.1551 Fax: 216.221.1554 Email: <u>sales@procomsol.com</u> Web: <u>www.procomsol.com</u>