

# + Datasheet EE-PCA

## Product Configuration Adapter



# EE-PCA

## Product Configuration Adapter

The EE-PCA is an adapter kit used to connect E+E measurement devices to a personal computer. Together with the free Product Configuration Software EE-PCS (available at [www.epluse.com/configurator](http://www.epluse.com/configurator)), the Product Configuration Adapter enables setup and configuration of various E+E sensors.

The EE-PCA and EE-PCS functionality depends on the E+E measurement device and may include:

- View actual measured data
- Selection of physical quantities and measurement units at the outputs
- Output scaling
- Offset 1 or 2 point adjustment
- Settings of alarm outputs
- Display settings
- Digital communication settings

The scope of supply includes the converter unit, USB and RS232 connection cables and an additional power adapter.




PCA (Product configuration adapter)



External power supply for RS232 only



Connection cable



USB/RS232 interface

# Features

## Setup


### Connection to PC

EE-PCA can be connected to a PC via either USB or RS232 cable.

- For RS232, the EE-PCA shall be powered with the adapter in the scope of supply.
- For connection to an USB port, the power adapter is not necessary.

### Connection to E+E device

The connection cable is device specific. It is not included in the scope of supply and shall be ordered separately.



### Power supply according to device data sheet.

- EE03 and EE07 do not require power supply when used with EE-PCA

# Ordering Guide

	Feature	Description	Code
Hardware	Product Configuration Adapter	E+E Product Configuration Adapter	EE-PCA
	Connection cable (choose according to device)	EE33, EE371, EE381	HA011063
		EE03 (only display of measured values)	HA011056
		EE07	HA011057
		EE671 with analogue output	HA011064
		EE150, EE4x1 with analogue output	HA011065
EE300Ex, EE100Ex	HA011068		


# Order Examples

## EE-PCA

Feature	Code	Description
Product Configuration Adapter	EE-PCA	E+E Product Configuration Adapter

## HA011068

Feature	Code	Description
Connection cable	HA011068	Connection cable for EE300Ex, EE100Ex



Company Headquarters &  
Production Site

**E+E Elektronik Ges.m.b.H.**  
Langwiesen 7  
4209 Engerwitzdorf | Austria  
T +43 7235 605-0  
F +43 7235 605-8  
info@epluse.com  
www.epluse.com

Subsidiaries

**E+E Sensor Technology (Shanghai) Co., Ltd.**  
T +86 21 6117 6129  
info@epluse.cn

**E+E Elektronik France SARL**  
T +33 4 74 72 35 82  
info.fr@epluse.com

**E+E Elektronik Deutschland GmbH**  
T +49 6171 69411-0  
info.de@epluse.com

**E+E Elektronik India Private Limited**  
T +91 990 440 5400  
info.in@epluse.com

**E+E Elektronik Italia S.R.L.**  
T +39 02 2707 86 36  
info.it@epluse.com

**E+E Elektronik Korea Ltd.**  
T +82 31 732 6050  
info.kr@epluse.com

**E+E Elektronik Corporation**  
T +1 847 490 0520  
info.us@epluse.com

Version v2.1 | 04-2023  
Modification rights reserved



—  
your partner  
in sensor  
technology.

[www.epluse.com](http://www.epluse.com)